

Pre-Bid Queries InfraSCom

S. No.	Point No. of Detailed Technical Specifications	Tender Specification	Query/ Suggestion	Reply
1.	A.2: 75-Inch Professional Display Point No. 11 - Speaker	Inbuilt Two speakers of minimum 15 Watt each	Standard speakers available are 10W × 2. Kindly confirm if acceptable.	Accepted and modified accordingly. Please refer Modified Bid Document.
2.	A.2 65-Inch Professional Display Point No. 15 - System Android version	Android 13 or better	Android based OS	Accepted and modified accordingly
3.	B.1 Video Conferencing Camera with ultra HD AI Auto Tracking Point No. 1 - Sensor	1/1.8" CMOS Sensor or larger	PTZ 20x Optical Camera Standard Sensor is 1/2.8", CMOS Sensor, Not a 1/1.8" CMOS	No Changes
	Point No. 3 - Scanning Mode	Progressive	Clarification Requested	This is as per the requirement

Pre-Bid Queries Crestron

S. No.	Point No. of Detailed Technical Specifications	Tender Specification	Query/ Suggestion	Reply
1.	A-DISPLAY SYSTEM			
	A.6 8x8 HDMI Matrix Switcher (seamless)	<p>1. Inputs: 8 HDMI connectors or more 4K @ 60Hz</p> <p>2. Outputs: 8 HDMI connectors or more 4K @ 60Hz</p> <p>5. Output Resolutions Upto 4K @ 60Hz, 4:4:4 color or better</p> <p>6. Control Functionality Matrix Switching, RS-232 and LAN</p>	<p>Request to please modify as below as current parameter are of outdated resolution.</p> <p>1. Inputs 8 HDMI connectors or more 4096x2160 @60 4:4:4</p> <p>2. Outputs 8 HDMI connectors or more 4096x2160 @60 4:4:4</p> <p>5. Output Resolutions 4096x2160 @60 4:4:4 color or better</p> <p>Request to please modify as below, as current latest hardware ships with LAN ports.</p> <p>6. Control Functionality Matrix Switching, RS-232 or LAN</p>	<p>Accepted and modified accordingly.</p> <p>Please refer Modified Bid Document.</p>
			<p>Request to please add "Device should have minimum 2x stereo line-level audio output, to de-embedded audio from any of the eight HDMI inputs"</p> <p>Although one will be used in the solution but 2x is minimum, which can be asked</p>	<p>Accepted and modified accordingly.</p> <p>Please refer Modified Bid Document.</p>
			<p>Request to please add "Network security parameters like Active Directory service authentication, 802.1X network access control, TLS, SSH and HTTPS, and need to be configured and shown during installation,"</p>	<p>Accepted and modified accordingly.</p>

			To ensure that only authorized personnel can login to the device and only secured device are on the AV network.	Please refer Modified Bid Document.
	B.5 Room Controlling Device	5. Controlling port 3x 5 pin phoenix connector or more	Request to please confirm on the usage for these ports, as this is not clear, like other control ports mentioned in the specification.	Removed
			Request to please add “Network security parameters like Active Directory service authentication, 802.1X network access control, TLS, SSH and HTTPS, and need to be configured and shown during installation,” To ensure that only authorized personnel can login to the device and only secured device are on the AV network.	Accepted and modified accordingly. Please refer Modified Bid Document.
			Request to please add, “Should be shipped with license to control the room from PC/Laptop using UI”. Which can be used as a control interface from operators PC in the room.	Accepted and modified accordingly. Please refer Modified Bid Document.
		13. Integration: For better compatibility and smooth integration Room Controlling device, Power sequencer, Controller Screen should be from same OEM	Request to please modify as below, for broader participations. For better compatibility and smooth integration Room Controlling device, Power sequencer , Controller Screen should be from same OEM. As generally accessories devices like power sequencer are controllable via protocols. And in the specification of power sequencer, it is already mentioned “Remote Power Control via TCP/IP” “Controlling Data Interface - Support standard RS232 data interface and open control protocol or LAN Port”	Accepted and modified accordingly. Please refer Modified Bid Document.
	B.6 Wall Mount Controller Screen		Request to please add “Network security parameters like Active Directory service authentication, 802.1X network	Accepted and modified accordingly.

			<p>access control, TLS, SSH and HTTPS, and need to be configured and shown during installation,”</p> <p>To ensure that only authorized personnel can login to the device and only secured device are on the AV network.</p>	Please refer Modified Bid Document.
			<p>Request to please add,</p> <p>“Touch panel must not have any inbuilt microphone, the Bluetooth communications, and Wi-Fi® network connectivity to comply with applications demanding extra privacy and security.</p>	No Change
		<p>10. Integration: For better compatibility and smooth integration Room Controlling device, Power sequencer, Controller Screen should be from same OEM.</p>	<p>Request to please modify as below, for broader participations.</p> <p>For better compatibility and smooth integration Room Controlling device, Power sequencer, Controller Screen should be from same OEM.</p> <p>As generally accessories devices like power sequencer are controllable via protocols.</p> <p>And in the specification of power sequencer, it is already mentioned “Remote Power Control via TCP/IP” “Controlling Data Interface - Support standard RS232 data interface and open control protocol or LAN Port”</p>	<p>Accepted and modified accordingly.</p> <p>Please refer Modified Bid Document.</p>
	B.7 8-Channel Power sequencer		Request to please confirm the usage of “B.7 8-Channel Power sequencer”, request to please generalize the specification for broader participation.	No change

Pre-Bid Queries_ VENUS DIGITAL

S. No.	Point No. of Detailed Technical Specifications	Tender Specification	Query/ Suggestion	Reply
1			NABC BC. GMP Certificate, valid factory license in OEM.	manufacturer credentials are been ensured through bis certification clause no. 4.2, 4.3 and other provisions.

Pre-Bid Queries_ Geeken

S. No.	Point No. of Detailed Technical Specifications	Tender Specification	Query/ Suggestion	Reply
1			NABCB Certificate. BIS, Factory license.	manufacturer credentials are been ensured through bis certification clause no. 4.2, 4.3 and other provisions.

Pre-Bid Queries_ V D International

S. No.	Point No. of Detailed Technical Specifications	Tender Specification	Query/ Suggestion	Reply
1			Factory license and manufacturer verification is mandatory	manufacturer credentials are been ensured through bis certification clause no. 4.2, 4.3 and other provisions.